

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

THU

In the application of) .
Nick E. Ciavarella, et al.	Certificate of Mailing I hereby certify that this correspondence was deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop ISSUE FEE, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on this 20th day of January, 2009. Heather Dollison, Sec'y to Mark L. Weber
Serial No.: 10/693,534	
Filed: October 25, 2003	
Title: UNIVERSAL ADAPTER CLIP)

TRANSMITTAL SHEET

Enclosed are the following documents:

Response to Notice of Drawing Inconsistency with Specification Return Receipt Postcard

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 18-0987. If a withdrawal is required from Deposit Account No. 18-0987, the undersigned attorney respectfully requests that the Commissioner of Patents and Trademarks cite Attorney Docket Number GOJ.P.96US for billing purposes.

Respectfully submitted,

Mark L. Weber, Reg. No. 46,069

Renner, Kenner, Greive, Bobak, Taylor & Weber

Fourth Floor, First National Tower

Akron, Ohio 44308-1456 Telephone: (330) 376-1242

MIZWW

Dated: January 20, 2009



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the application of) CERTIFICATE OF MAILING
NICK E. CIAVARELLA, et al.	I hereby certify that this correspondence was deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Mail Stop Issue Fee, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, this 20th day of January, 2009. Heather Dollison Sec'y. to Mark L. Weber
Serial No. 10/693,534	
Filed: October 25, 2003	
For: UNIVERSAL ADAPTER CLIP	

Mail Stop Issue Fee Commissioner for Patents Alexandria, VA 22313-1450

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

Sir:

Responsive to the Notice of Drawing Inconsistency With Specification mailed 12/29/08, the Applicants, through their attorney, respond as follows.

Amendments to the Specification begin on page 2 of this paper.